# Extruded Polystyrene Insulation





"Owens Corning's Foamular insulation is an extruded polystyrene rigid foam insulation with stable, high insulating values and superior moisture resistance when compared to other types of foam insulation."

Owens Corning has been producing insulation since 1935 and has been a leading force in the way the insulation industry has developed. Owens Corning is a member of EPA Climate leaders program, and is committed to reducing Greenhouse gas Emissions in the manufacturing process and through product performance.



Austech has been nationally distributing building products for 25 years, and distributes Foamular Australia wide. Austech's sales and technical team can recommend the best product for your application and help with the specification process.



#### New South Wales

Austech External Building Products 80 Tattersall Road, Blacktown NSW 2148 PO Box 4208 Marayong NSW 2148 Phone: 02 9831 1623 Fax: 02 9831 5043 Contact: Tony Curran Email: sales@austech.com.au

#### Western Australia

Austech External Building Products (WA) 20 Hilltop Cl, Mahogany Creek WA 6072 Phone: 08 9295 0500 Fax: 08 9295 6699 Contact: John Vadala Email: sales-wa@austech.com.au

Austech External Building Products (QLD) 1/1089 Kingsford Smith Drive, Eagle Farm Brisbane QLD 4009 Phone: 07 3268 3066 Fax: 07 3268 3021 Contact: Matt Reeder & Scott Follent Email: sales@austech-qld.com.au

#### Tasmania

Austech External Building Products (TAS) 4/8 Melrose Court, Sandy Bay Hobart TAS 7005 Phone/Fax: 03 6225 4003 Contact: Tony Caldwell Email: sales-tas@austech.com.au

### Victoria and South

Australia

Austech External Building Products (VIC) 36 Isabella Street, Moorabbin VIC 3189 Phone: 03 9532 0131 Fax: 03 9532 1868 Contact: Alan Mooney Email: sales-vic@austech.com.au

#### New Zealand

Tironui Contractors Ltd. Unit 2/32 Tironui Road, Takanini Papakura Auckland, New Zealand Phone: +64 9298 7055 Fax: +64 9298 7054 Contact: Leigh Ingle Email: sales-nz@austech.com.au

# Extruded Polystyrene Insulation FD370118 ®



### Application: Wine Cellar & Wine Storage Insulation.

Successful wine storage requires constant temperature and high humidity, creating some unique problems for insulation. Most insulation would underperform in these conditions, but Foamular is not affected by moisture in the air, so it is ideal for this unique circumstance.



## "Insulation Is An Investment"

Serious wine storage requires expensive temperature and humidity control, but Foamular's high R-Values create an effective barrier to temperature fluctuations, reducing the strain on machines and improving energy efficiency.

Foamular can be directly fixed to timber, steel, masonry or concrete. Foamular will not aid in the transfer of humidity, which helps protect the adjoining rooms and structures. Foamular is also an ideal substrate for many finishing systems, including render, timber and stone.



Recommended Material: FM 250, 30-75 mm (To meet desired R-values)

For Technical Information, Contact Mike Nagle - 0417 268 660 mnagle@austech.com.au • www.austech.com.au

NSW • QLD • VIC • WA • TAS • NZ